

2023 OTTO PRODUCT LIST

Accessories For OTTO Speaker Mics and Headsets Earphone with Acoustic Tube

DESCRIPTION
Earphone Kit, listen only 2.5mm rt. angle plug
Earphone Kit, listen only 2.5mm rt. angle plug
Earphone Kit, listen only 2.5mm straight Plug
Earphone Kit, 30 inch listen only 2.5mm straight plug
Earphone Kit, listen only 3.5mm straight plug
Earphone Kit, listen only 3.5mm rt. angle plug
Earphone Kit, listen only 3.5mm rt. angle plug
Earphone Kit, 48 inch, listen only 3.5mm rt. angle plug, black
Earphone Kit, 48 inch, listen only 3.5mm rt. angle plug, beige
Earphone Kit, 12 inch, listen only 3.5mm straight plug
Earphone Kit, listen only for Genesis, 6 Pin Hirose
Earphone Kit, listen only 2.5mm rt. angle SureFire™ plug
Earphone Kit, listen only 3.5mm rt. angle SureFire™ plug
Lo Vis Earphone Kit, 3.5mm, Left
Lo Vis Earphone Kit, 3.5mm, Right
Lo Vis Earphone Kit, 2.5mm, Left
Lo Vis Earphone Kit, 2.5mm, Right
One Wire bottom W/PTT, 3.5mm earphone jack, MF
One Wire bottom W/PTT, 3.5mm earphone jack, KB
One Wire bottom W/PTT, 3.5mm earphone jack, KA

EAR HANGER OPTION

PART NUMBER	DESCRIPTION
V1-EH22R131	Earphone Kit, listen only 2.5mm rt. angle plug
V1-EH23R131	Earphone Kit, listen only 3.5mm rt. angle plug

DUAL EARPHONE KIT

PART NUMBER	DESCRIPTION
VR10001	Dual Earphone Kit, listen only 3.5mm straight plug, noise attenuating plugs
VR10002	Dual Earphone Kit, listen only 2.5mm straight plug, noise attenuating plugs

REMOTE PTT ACCESSORIES FOR VARIOUS HEADSETS WITH 2.5MM EARPHONE JACK

PART NUMBER	DESCRIPTION
V1-10513	Ring PTT, 60 inches 2.5mm rt. angle plug
V1-10513-S	Ring PTT, 60 inches 2.5mm rt. angle plug
V1-10519	80mm Body PTT, coiled cord 2.5mm rt. angle plug

PROFESSIONAL WIRELESS ACCESSORIES FOR USE WITH PROFESSIONAL SURVEILLANCE KITS

PART NUMBER	DESCRIPTION
C101114	Wax Trap (15) and Installation Tool (replacement part for Wireless Ear Receiver)
819021	Batteries (4) for Wireless Ear Receiver
V1-10610	Conventional Wireless Ear Receiver (to be used with Flat Pack Inductor or Neckloop), beige

_	
V1-10611	Squelch Wireless Ear Receiver Kit (to be used with Flat Pack Inductor or Neckloop), beige
V1-10666	Standard 28" Neckloop, beige
V1-10603	Standard 49" Neckloop, beige
V1-11106	Standard 49" High Efficiency Neckloop, beige

OTTO LOC

1. Choose your ear piece Option

OTTO LOC INTERCHANGEABLE EAR PIECE OPTIONS

(Ear Piece only - requires OTTO LOC one or two wire surveillance kits)

PART NUMBER	DESCRIPTION
E1-QC2NC132	Ear Bud with foam cover
E1-QC2NC133	Ear Loop with adjustable ear bud
E1-QC2NC134	Adjustable Ear Hanger M/L
E1-QC2NC135	Adjustable Ear Hanger L/XL
E1-QC2NC138	Swivel Ear Piece with rotating earphone
E1-QC2NC137	Acoustic Tube with Quick Disconnect

2. Choose your Wire Kit Option

ONE WIRE KITS

ONE WIRE KITS

OTTO LOC One or Two Wire kit Options

One of twenty different radio connector versions

OTTO LOC ONE WIRE SURVEILLANCE KIT-DIGITAL RADIO COMPATIBLE WITH IN-LINE ERGONOMIC PTT

(Wire kit only - requires interchangeable ear piece sold separately)

1-2 Pin Radios	
PART NUMBER	RADIO MFG/CONNECTOR
E1-1W2CH131	ICOM-IP100H
E1-1W2CS131	ICOM-F3021/4021,F1000/F2000
E1-1W2HS131	HYTERA-All 2 pin Hyteral radios w/screw holddown
E1-1W2KA131	KENWOOD-TK250
E1-1W2KD131	KENWOOD-PKT Series
E1-1W2MG131	MOTOROLA-CP 200D
E1-1W2ML131	MOTOROLA-CLP Series
E1-1W2SL131	MOTOROLA-SL Series
E1-1W2VD131	VERTEX-VX230

Multi-pin Radio	
PART NUMBER	RADIO MFG./CONNECTOR
E1-1W2HY131	HYTERA-PD770
E1-1W2CM131	ICOM-F4161
E1-1W2CF131	ICOM F3260/F4260/F9011/F9021/F3262/ F4262,F3261/F4261, F9011,F3261,F4261,F3262,F4262,
E1-1VV2CF131	F3400D
E1-1W2KB131	KENWOOD-TK480
E1-1W2MA131	MOTOROLA-HT1000/XTS

E1-1W2MF131	MOTOROLA-MOTO TRBO/APX
E1-1W2VJ131	VERTEX-VX820
E1-1W2MR131	MOTOROLA XPR 3300/3500 Series, DP2400, DP2600, DP3441, APX3000/8000, DP2000, DP2400,
	DP2600, DP 3441 MTP3100/3150/3200/3250/3500/ 3550

OTTO LOC TWO WIRE SURVEILLANCE KIT - DIGITAL RADIO COMPATIBLE WITH ERGONOMIC PTT

(Wire kit only - requires interchangeable ear piece sold separately)

1-2 Pin Radios		
PART NUMBER	RADIO MFG./CONNECTOR	
E1-2W2KA131	KENWOOD-TK250	
E1-2W2MG131	MOTOROLA-CP 200D	
F1-2W2VD131	VFRTFX-VX230	

ONE WIRE KITS		
Multi-pin Radio		
PART NUMBER	RADIO MFG./CONNECTOR	
E1-2W2KB131	KENWOOD-TK480	
E1-2W2MA131	MOTOROLA-HT1000/XTS	
E1-2W2MF131	MOTOROLA-TRBO/APX	

REPLACEMENT CABLES

TWO-WIRE KITS

REPLACEMENT CABLES FOR EARPHONE KITS

PART NUMBER	DESCRIPTION
V3-10096	Cable, coiled cord, earphone 2.5mm str. plug
V3-10107	Cable, coiled cord, earphone 2.5mm rt. angle plug
V3-10097	Cable, coiled cord, earphone 3.5mm str. plug
V3-10108	Cable, coiled cord, earphone 3.5mm rt. angle plug

REPLACEMENT CABLES FOR SPEAKER MICROPHONES

PART NUMBER	DESCRIPTION
V3-10039	Cable, coiled cord assembly, Motorola GP300 Series
V3-10061	Cable, coiled cord assembly, Prism
V3-10082	Cable, coiled cord assembly, Kenwood TK480 Series
V3-10198	Cable, coiled cord assembly, Harris 7100 Series
V3-10346	Cable, coiled cord assembly, ICOM F50/F60/F30/F40
V3-10485	Cable, coiled cord assembly Storm standard with Emergency, Harris Jaguar
V3-11179	Cable, coiled cord assembly Harris Unity Series
V3-10532	Cable, coiled cord assembly Storm with Emergency button, Harris P5300 Series

REPLACEMENT CABLES FOR HEADSETS

PART NUMBER	DESCRIPTION
_	Cable, 12 inch, Kenwood TK250
V3-10637	Cable, 26 inch, Motorola XPR6300/6350/6500

REPLACEMENT PARTS FOR NOISE CANCELING HEAVY DUTY HEADSETS

PART NUMBER	DESCRIPTION
C102813	NRX ClearTrak boom mic

C807422	Hygiene Kit - ear seal cushions, foam speaker covers and cloth covers (2 per package)
C760004	Adjustable head strap (1 per package)
C807420	Hygiene Kit - windscreens and o-rings (5 per package)
C816020	Boom mic assembly
C816028	Mic element with o-Ring and windscreen - standard (approx. 3dB)
C101922*	Mic element with o-ring and windscreen - extreme high noise (approx. 19 dB)

^{*}The extreme high noise mic is available as a replacement item only for these headsets - it is not an upgrade option and returnable.

REPLACEMENT PARTS FOR HURRICANE HEADSETS

PART NUMBER	DESCRIPTION
C807417	Hygiene Kit - windscreen and o-ring (5 per package)
C101519	NoisEz ear tips (2 per package), black-small
C100569	Silicone regular eartips (10 per package)
C806573-LM	Flexible Open Ear Insert, left ear medium
C806573-RM	Flexible Open Ear Insert, right ear medium
C102318	SureFire™ replacement and upgrade kit for Hurricane, small
C102191	SureFire™ replacement and upgrade kit for Hurricane, medium
C102192	SureFire™ replacement and upgrade kit for Hurricane, large

REPLACEMENT PARTS FOR RANGER HEADSETS

PART NUMBER	DESCRIPTION
C807417	Hygiene Kit - windscreen and o-ring (5 per package)

REPLACEMENT PARTS FOR PREMIUM HEADSET

PART NUMBER	DESCRIPTION
C807420	Hygiene Kit, windscreen and o-rings (5 per package)
C807606	Ear seal (2 per package)

REPLACEMENT PARTS FOR BREEZE HEADSETS

PART NUMBER	DESCRIPTION
C807417	Hygiene Kit - windscreen and o-ring (5 per package)

REPLACEMENT PARTS FOR PROFESSIONAL THROAT MICROPHONE

PART NUMBER	DESCRIPTION
V1-10691	Throat Microphone, quick disconnect acoustic tube with 6 pin hirose
C760595	Throat Microphone, replaceable strap

TRANSITION MODULE KIT FOR PROFESSIONAL SURVEILLANCE KITS

PART NUMBER	DESCRIPTION
C100768	Case housings with clothing clip, strain reliefs, push-to-talk, generic PCB and wiring instructions

REPLACEMENT BELT CLIPS FOR 80MM PTT, STORM, REVO

PART NUMBER	DESCRIPTION
C101381	Belt clip assembly for Storm, Low Profile and 80mm PTT
C102085	Belt clip assembly for Revo NC1 & NC2™

REPLACEMENT PARTS FOR ACOUSTIC TUBES, CABLES AND EARPHONES

PART NUMBER	DESCRIPTION
C101199	Quick Disconnect acoustic tube and silicone ear tip (1 per package)
C101199-05	Quick Disconnect acoustic tube and silicone eartip (5 per package)
C101199-50	Quick Disconnect acoustic tube and silicone ear tip (50 package)
C101115-2	Black, Dynamic earphone only
C101115-19	Beige, Dynamic earphone only
C101219-2	Black, Quick Disconnect, with dynamic earphone and acoustic tube adapter, silicone ear tip
C101219-19	Beige, Quick Disconnect, with dynamic earphone and acoustic tube adapter, silicone ear tip
C101045	Dual ear acoustic tube

RUBBER EARTIPS

PART NUMBER	DESCRIPTION
C100569	Silicone regular ear tips (10 per package)
C101206	Silicone regular ear tips (25 per package)
C101207	Silicone regular ear tips (100 per package)

FLEXIBLE OPEN EAR INSERTS

PART NUMBER	DESCRIPTION
C806573-LS	Left ear, small
C806573-LM	Left ear, medium (Recommended size - fits most people)
C806573-LL	Left ear, large
C806573-RS	Right ear, small
C806573-RM	Right ear, medium (Recommended size - fits most people)
C806573-RL	Right ear, large

NOISE ATTENUATIONS KITS (NRR 25dB)

	· · · · · · · · · · · · · · · · · · ·
PART NUMBER	DESCRIPTION
C100733	Replacement Noise Attenuating Plugs (one foam ear tube plug and one foam earplug for above)
C807010-1K	Replacement Noise Attenuating Plugs (Bag of 1000 foam plugs with black tube)
C807010-5K	Replacement Noise Attenuating Plugs (Bag of 5000 foam plugs with black tube)

SureFire REPLACEMENT PARTS

PART NUMBER	DESCRIPTION
C102209	Replacement SureFire™ earpieces with noise reducing filters and tether, medium
C102218	Replacement acoustic tube with SureFire™ Coupler kit

REPLACEMENT EARPHONES FOR PROFESSIONAL SURVEILLANCE KITS

PART NUMBER	DESCRIPTION
C101219-2	Quick Disconnect, with dynamic earphone and acoustic tube adapter, silicone ear tip, black
C101219-19	Quick Disconnect, with dynamic earphone and acoustic tube adapter, silicone ear tip, beige
C101199	Quick Disconnect acoustic tube and silicone ear tip (1 per package)
C101199-50	Quick Disconnect acoustic tube and silicone ear tip (50 per package)
C101115-2	Dynamic earphone only, black

C101115-19	Dynamic earphone only, beige
------------	------------------------------

TRANSITION MODULE KIT FOR PROFESSIONAL SURVEILLANCE KITS

PART NUMBER	DESCRIPTION
C100769	Kit includes case housing with clothing clip, strain relief's, generic pcb and wiring instructions

REPLACEMENT PARTS FOR SURVEILLANCE KITS

PART NUMBER	DESCRIPTION
C102241	Silicone ear tip for OTTO LOC Ear Hanger E1-QC2NC135, (10 package)

REPLACEMENT PARTS FOR EARLOOP WITH EARBUD

PART NUMBER	DESCRIPTION
C801601-10	Earbud Foam Covers (10 per package)

NOIZEBARRIER® REPLACEMENT PRODUCTS

PART NUMBER	DESCRIPTION
C101519	Comply Foam Earplugs
C807550	Gray foam ear tips, (10 per package
C807551	Frost, 3 flanged ear tips - Long stem (10 per package)
C807552	Clear Large 3-flanged ear tips - Medium stem (10 per package)
C102359FD	HELMET MOUNT Flat Dark Earth,TAC, OPS CORE (1 pair)
C102359BK	HELMET MOUNT Black, TAC, OPS CORE (1 pair)
C102359OD	HELMET MOUNT Olive Drab Green, TAC, OPS CORE (1 pair)
C102365FD	HELMET MOUNT Flat Dark Earth, TAC, TEAM WENDY (1 pair)
C102365BK	HELMET MOUNT Black, TAC, TEAM WENDY (1 pair)
C102365OD	HELMET MOUNT Olive Drab Green, TAC, TEAM WENDY (1 pair)
C102828	NB Tac Earseals
C807531	EAR SEAL, FOAM/GEL, ANNULAR SNAP, STD SIZE
C760607	HEADSET BAG, DRAWSTRING, LG
C102574	TAC, OTH HEADBAND ASSY
C816751	TAC MIC BOOM ASSY, DYNAMIC
C816781	TAC MIC BOOM ASSY, ELECTRET

NOIZEBARRIER® ACTIVE HEARING PROTECTION

PART NUMBER	DESCRIPTION
V4-11029	High Definition Electronic Earplugs

NOIZEBARRIER® COMMS KITS

For use with the NOIZEBARRIER® Micro and surveillance or earphone kits (sold separately)

PART NUMBER	DESCRIPTION
C102624-2	Enhanced Dual Ear Comms Kit-includes Transducer Acoustic tubes, 4 eartips
C102638	Single Ear Comms Kit-includes Acoustic tube, 2 eartips
C102621-2	Enhanced Single Ear Comms Kit-includes Transducer, 2 eartips
C102677-06	Replacement Grey Foam Dual Port Ear tips (Qty 6)
C102622-06	Replacement Comms Ear tips

NOIZEBARRIER® ACTIVE HEARING PROTECTION

PART NUMBER	DESCRIPTION

V4-11072BK	Range SA Headset - Black
V4-11072OD	Range SA Headset - Olive Drab Green
V4-11072FD	Range SA Headset - Flat Dark Earth
V3-10744	Right Angle coiled cord, 3.5mm plug, listen only downlead for Range SA Headset to Speaker Mic
V3-10746	Right Angle coiled cord, 2.5mm plug, listen only downlead for Range SA Headset to Speaker Mic
V3-10971	Gas mask cable NB Tac

NEXUS TP120 PLUG FOR U-94

NOIZEBARRIER® TACTICAL HEADSETS

PART NUMBER	DESCRIPTION
V4-11032EFD	TAC OTH Flat Dark Earth, Single Com, Electret Mic, Left Hardwired to Nexus TP120, Comply Seals,
	Bag, 2 AAA
V4-11032EBK	TAC OTH Black, Single Com, Electret Mic, Left Hardwired to Nexus TP120, Comply Seals, Bag, 2 AAA
V4-11032EOD	TAC OTH Olive Drab Green, Single Com, Electret Mic, Left Hardwired to Nexus TP120, Comply Seals,
V4-11032LOD	Bag, 2 AAA
V/4 11022FD	TAC OTH Flat Dark Earth, Single Com, Dynamic Mic, Left Hardwired to Nexus TP120, Comply Seals,
V4-11032FD	Bag, 2 AAA
V4-11032BK	TAC OTH Black, Single Com, Dynamic Mic, Left Hardwired to Nexus TP120, Comply Seals, Bag, 2 AAA
V// 110220D	TAC OTH Olive Drab Green, Single Com, Dynamic Mic, Left Hardwired to Nexus TP120, Comply Seals,
V4-11032OD	Bag, 2 AAA
V4 11022FFD	TAC OTH Flat Dark Earth, Dual Com, Electret mic, Left/Right Hardwired to two Nexus TP120,
V4-11033EFD	REQUIRES 2 PTTS Comply Seals, Bag, 2 AAA
V/4 11022EDV	TAC OTH Black, Dual Com, Electret mic, Left/Right Hardwired to two Nexus TP120, REQUIRES 2 PTTS
V4-11033EBK	Comply Seals, Bag, 2 AAA
V/4 11022FOD	TAC OTH Olive Drab Green, Dual Com, Electret mic, Left/Right Hardwired to two Nexus TP120,
V4-11033EOD	REQUIRES 2 PTTS Comply Seals, Bag, 2 AAA

U-94 PTTs FOR USE WITH NEXUS TP120 ACCESSORIES

PART NUMBER	DESCRIPTION
V3-10861	PTT, NEXUS QUICK DISCONNECT, MOTOROLA APX 7000
V3-10856	PTT, NEXUS QUICK DISCONNECT, ICOM F9011
V3-10859	PTT, NEXUS QUICK DISCONNECT, ICOM
V3-10860	PTT, NEXUS QUICK DISCONNECT, MOTOROLa XTS5000
V3-10882	PTT, NEXUS QUICK DISCONNECT, AIRBUS
V3-10936	PTT, NEXUS QUICK DISCONNECT, Moto MR
V3-10937	PTT, NEXUS QUICK DISCONNECT, Moto MJ
V3-10938	PTT, NEXUS QUICK DISCONNECT,Kenwood KB
V3-10939	PTT, NEXUS QUICK DISCONNECT, SRH
V3-10941	PTT, NEXUS QUICK DISCONNECT, Sepura ST
V3-10948	PTT, NEXUS QUICK DISCONNECT, Harris Unity (HD)
V3-10951	PTT, NEXUS QUICK DISCONNECT, Harris XG75
V3-10952	PTT, NEXUS QUICK DISCONNECT, Airbus THR9i
V3-10956	PTT, NEXUS QUICK DISCONNECT, Kenwood KA

PROFESSIONAL HEADSETS

PART NUMBER	DESCRIPTION
V4-11234-S	ClearTrak NRX Over-the-head headset w/earcup PTT, Nexus TP120
V4-11235-S	ClearTrak NRX Behind-the-head headset w/earcup PTT, Nexus TP120
V4-11236-S	ClearTrak NRX Headset, Hard Hat Mounts, w/ earcup PTT, Nexus TP120
V4-10962	Hurricane III, lightweight, dual speaker, Surefire earpieces, dynamic mic, Nexus TP120, no PTT

PROFESSIONAL SURVEILLANCE KIT

PART NUMBER	DESCRIPTION
V1-11185	2 Wire Kit, Mic w/windscreen, Surefire earpiece, Nexus TP120, No PTT

PROFESSIONAL SPEAKER MICROPHONE

PART NUMBER	DESCRIPTION
V2-10534	Evolution with 4" straight cable, HI-LO volume control, 2.5mm earphone jack, , Nexus TP120, No
	PTT

OTTO CONNECT WIRELESS INTERCOM

200 SERIES INTERCOM

PART NUMBER	DESCRIPTION
CT-00210	Connect 210, 1 Channel Intercom, eight talk slots
CT-00260	Connect 260, 6 Channel Crew Intercom, Multigroup capable
CT-00265	Connect 265, 6 Channel Supervisor Intercom, Multigroup capable, Priority feature

200 SERIES CHEST RIG SYSTEMS

PART NUMBER	DESCRIPTION
V6-10038	OTTO Connect 6-Channel Chest Rig System
V6-10039	OTTO Connect Single Channel Chest Rig System

200 SERIES HEADSETS

PART NUMBER	DESCRIPTION
V1-11545	Throat Mic Assembly, OTTO Connect
V4-10943	Connect, Heavy-Duty Headset, Dual-Cup
V4-10985	Connect, Profile Headset
V4-10986	Connect, Hurricane II Headset
V4-11242	ClearTrak NRX Behind-the-head headset w/earcup PTT
V4-11240	ClearTrak NRX Headset, Hard Hat Mounts, W/earcup PTT
V4-11241	ClearTrak NRX Over-the-head Headset w/earcup PTT
V4-11102BK	NOIZEBARRIER® TAC Headset, OTTO Connect, Black
V4-11102FD	NOIZEBARRIER® TAC Headset, OTTO Connect, Flat Dark Earth
V4-11102OD	NOIZEBARRIER® TAC Headset, OTTO Connect, Olive Drab Green
V4-NR2MV2	Connect, Ranger Headset

200 SERIES FUSION (LINKS INTERCOM TO CELL PHONE OR TWO-WAY RADIO)

PART NUMBER	DESCRIPTION
V3-10851	Fusion 200F, OTTO Connect Fusion module (requires either cell phone or radio cable) Single User
V3-10852	Fusion 210C, Cell Phone Cable with 3.5mm plug
V3-10878	Fusion 210RMF, Two-way radio Cable for XPR / APX Motorola radio
V3-10877	Fusion 210RER, Two-way radio Cable for P7300 Harris radio

_	
V3-10883	Fusion Two-Way Radio Cable for Kenwood Multi-pin Radios
V3-10927	Fusion Two-Way Radio Cable for Motorola XPR / APX Radios with Inline 80mm PTT

200 SERIES ACCESSORIES

PART NUMBER	DESCRIPTION
C102191	SureFire™ Earpieces with Acoustic Coupler Upgrade Kit
C405062-2	Rubber Overmold for OTTO Connect 200 Series Intercom (w/side holes)
C760540	Wall-Charger (w/4 USB-A slots)
C760538	USB Charging Cable, 60-inches (USB-A to USB-Mini)

200 SERIES CASES

PART NUMBER	DESCRIPTION
C102334	Water Resistant, Hardshell, Heavy-Duty Rolling Case with Handle for up to eight Connect Intercom systems
C760585	Hardshell Business Case with Handle for a 3 unit Connect Intercom System

Revo NC 2 Bluetooth® Speaker Microphone Bluetooth® enabled radios including: Harris/EF Johnson, Kenwood, Icom, BK Technologies

Smartphones and tablets using Android Applications including: ESChat, VIA, BeOn, Boundless, Zello,

PROFESSIONAL SPEAKER MICROPHONES

PART NUMBER	DESCRIPTION
V2-R2BT53133-A*	Revo NC2™ Bluetooth® with 3.5mm earphone jack
V2-R2BT53133-NX*	Revo NC2™ Bluetooth® with 3.5mm earphone jack-Nexedge Radio Series
V2-R2BT53133-VP*	Revo NC2™ Bluetooth® with 3.5mm earphone jack-Viking Radio Series
V2-R2BT13133-A*	Revo NC2™ Bluetooth® with 2.5mm earphone jack
V2-R2BT13133-B*	Revo NC2™ Bluetooth® with 2.5mm earphone jack for Harris BeOn and XL200 Radios

EARPHONE WITH ACOUSTIC TUBE FOR Bluetooth® SPEAKER MICROPHONE

PART NUMBER	DESCRIPTION
V1-11550	Earphone 2.5mm with 32ohm transducer
V1-11551	Earphone 3.5mm with 32ohm transducer

^{*}Warranted for two years excluding the battery. The battery is warranted for one year.

BK Technologies

Connector Radio Models

BA DPH/EPH/EPI/EPU/EPV/GPH/LPH/LPU/LPX

PROFESSIONAL SPEAKER MICROPHONES

PART NUMBER	DESCRIPTION
V2-S2BA11111	Storm with coiled cord, volume control and 2.5mm earphone jack

Connector Radio Models

BB P150 KING

PROFESSIONAL SPEAKER MICROPHONES

PART NUMBER	DESCRIPTION
V2-G4BB211	OTTO 500 with Fire-Tuff™ coiled cable
V2-R2BB5112-US	Revo NC2™ Noise Canceling with coiled cable, 3.5mm earphone jack, USA Flag
V2-R2BB5112-US-B	Revo NC2™ Noise Canceling with coiled cable, 3.5mm earphone jack, USA Flag-Blue Line
V2-R2BB5112-US-R	Revo NC2™ Noise Canceling with coiled cable, 3.5mm earphone jack, USA Flag-Red Line
V2-R2BB5112	Revo NC2™ Noise Canceling with coiled cable, 3.5mm earphone jack
V2-R2BB5212	Revo NC2™ Noise Canceling with coiled cord, 3.5mm earphone jack, emergency button
V2-R2BB5212-US	Revo NC2™ Noise Canceling with coiled cord, 3.5mm earphone jack, emergency button, USA Flag
V2-R2BB5212-US-B	Revo NC2™ Noise Canceling with coiled cord, 3.5mm earphone jack, emergency button, USA Flag-
	Blue Line
V2-R2BB5212-US-R	Revo NC2™ Noise Canceling with coiled cord, 3.5mm earphone jack, emergency button, USA Flag-
	Red Line
V2-S2BB52111	Storm with coiled cord, volume control, 3.5mm earphone jack, emergency button

EF JOHNSON

Connector JC

Radio Models NO ADAPTER REQUIRED ASCEND ES/ 51SL/ 51SL ES/ 5100/5100ES

PROFESSIONAL SPEAKER MICROPHONE

PART NUMBER	DESCRIPTION
V2-S2JC11111	Storm with coiled cord, volume control, 2.5mm earphone jack

Connector JD

Radio Models NO ADAPTER REQUIRED VIKING VP400/600/900

PROFESSIONAL SPEAKER MICROPHONES-NO ADAPTER REQUIRED

PART NUMBER	DESCRIPTION
V2-S2JD52111	Storm with coiled cord, emergency button, 3.5mm earphone jack
V2-R2JD5112	Revo NC2™ Noise Canceling with coiled cord, 3.5mm earphone jack
V2-G4JD221	OTTO 500 with Fire-Tuff™ coiled cord, emergency button

TACTICAL HEADSETS

PART NUMBER	DESCRIPTION
V4-11058BK	NOIZEBARRIER® Tac, over the head, black, single com, rugged single PTT

Connector Radio Models

VIKING VP 400/D41VP600/VP900 ASCEND ES/51SL/51SL ES/5100/5100ES

PROFESSIONAL SURVEILLANCE KITS-REQUIRES ADAPTER V1-10842

PART NUMBER	DESCRIPTION
V1-10842	Adapter required with use of below kits and headsets
V1-10172	2 Wire Kit, black
V1-10337	2 Wire Kit, heavy duty cable, black

PROFESSIONAL HEADSETS-REQUIRES ADAPTER V1-10842

PART NUMBER	DESCRIPTION
V4-10145	Classic over-the-head, dual speaker, heavy duty with standard PTT

HARRIS

Connector Radio Models EC MRK

PROFESSIONAL SURVEILLANCE KITS

PART NUMBER	DESCRIPTION
V1-10220	3 Wire Mini Lapel Microphone Kit, heavy duty cable, black

Connector Radio Models
ED PRISM/LPE 200

PROFESSIONAL SURVEILLANCE KITS

PART NUMBER	DESCRIPTION
V1-10372	3 Wire Mini Lapel Microphone Kit, heavy duty cable, black

PROFESSIONAL SPEAKER MICROPHONES

PART NUMBER	DESCRIPTION
V2-10069	Evolution with coiled cord, volume control, emergency button, 2.5mm earphone jack
V2-S2ED12111	Storm with coiled cord, volume control, emergency button, 2.5mm earphone jack

PROFESSIONAL HEADSETS

PART NUMBER	DESCRIPTION
V4-10092	Classic over-the-head, dual speaker, heavy duty, with standard PTT

Radio Models 700P SERIES

EJ

Connector

JAGUAR700P/P5200/P7100/P7130/P7150/P7170/ P5100/P5130/P5150/P7100/P7200/P7230/P7250/ P7270

PROFESSIONAL SURVEILLANCE KITS

PART NUMBER	DESCRIPTION

V1-10523 2 Wire Kit, heavy duty cable, black
--

PROFESSIONAL SPEAKER MICROPHONES

PART NUMBER	DESCRIPTION
V2-10154	Evolution with coiled cord, volume control, 2.5mm earphone jack, emergency button
V2-10155	Evolution with 25 inch straight coaxial cord, volume control, 2.5mm earphone jack, emergency
	button
V2-10156	Evolution with coaxial cord, volume control, 2.5mm earphone jack, antenna connector, emergency
	button
V2-S2EJ12111	Storm with coiled cord, volume control, 2.5mm earphone jack, emergency button

PROFESSIONAL HEADSETS

PART NUMBER	DESCRIPTION
V4-10316	Classic over-the-head, dual speaker, heavy duty with standard PTT
V4-10379	ClearTrak, behind-the-head, dual speaker extreme noise with earcup PTT

Connector Radio Models

ER P5300/5350/5370/P 5400/5450/5470/P5500/5550/5570/P7300 SERIES 7370/7350/XG75/XG25/XG15/XL45/XL95

PROFESSIONAL SURVEILLANCE KITS

PART NUMBER	DESCRIPTION
V1-10880	2 Wire Kit, black
V1-10882	3 Wire Mini Lapel Microphone Kit, heavy duty cable, black

PROFESSIONAL SPEAKER MICROPHONES

PART NUMBER	DESCRIPTION
V2-G4ER221	OTTO 500 Fire with Fire-Tuff™ emergency button
V2-R2ER5212	Revo NC2™ Noise Canceling with coiled cord, 3.5mm earphone jack, emergency button
V2-R2ER1212-US	Revo NC2™ Noise Canceling with coiled cord, 2.5mm earphone jack, emergency button, USA Flag
V2-R2ER1212-US-B	Revo NC2™ Noise Canceling with coiled cord, 2.5mm earphone jack, emergency button, USA Flag- Blue Line
V2-R2ER1212-US-R	Revo NC2™ Noise Canceling with coiled cord, 2.5mm earphone jack, emergency button, USA Flag- Red Line
V2-R2ER1212	Revo NC2™ Noise Canceling with coiled cord, 2.5mm earphone jack, emergency button
V2-10438	Evolution with coiled cord, volume control, emergency button, 2.5mm earphone jack
V2-G3ER321	Genesis II with coiled cord, emergency button, accessory jack
V2-S2ER12111	Storm with coiled cord, volume control, 2.5mm earphone jack, emergency button
V2-S2ER12211	Storm with coiled coaxial cord, antenna connector, volume control, 2.5 mm earphone jack, emergency button
V2-S2ER12111-S	Storm with coiled cord, volume control, 2.5mm earphone jack, emergency button - IS/ATEX Approved
V2-S2ER12121	Storm with coiled cord, volume control, 2.5mm earphone jack, emergency button, noise canceling microphone

PROFESSIONAL HEADSETS

PART NUMBER	DESCRIPTION
V4-11232-S	Cleartrak NRX Over-the-head Headset with earcup PTT

V4-11233-S	ClearTrak NRX Behind-the-head Headset with earcup PTT
V T-II233-3	Clear trak tyty, bettilla-tile-lieaa fleaaset with earcab f f f

COMMERCIAL HEADSETS

PART NUMBER	DESCRIPTION
V4-BA2ER1	Breeze, lightweight, behind-the-head, single speaker with standard PTT

TACTICAL SKULL & THROAT MICROPHONE SYSTEMS

PART NUMBER	DESCRIPTION
V1-T12ER137	Tactical Throat Microphone, with acoustic tube and 80mm PTT

TACTICAL HEADSETS

PART NUMBER	DESCRIPTION
V4-11055BK	NOIZEBARRIER® TAC, over the head, black, single com, rugged single PTT

Connector Radio Models
HD XL-100/XL-185/XL-200

PROFESSIONAL SURVEILLANCE KITS

PART NUMBER	DESCRIPTION
V1-11547	2 Wire Kit, black

PROFESSIONAL SPEAKER MICROPHONES

PART NUMBER	DESCRIPTION
V2-G4HD221	OTTO 500 Fire with Fire-Tuff™ emergency button
V2-R2HD1212	Revo NC2™ Noise Canceling with coiled cord, 2.5mm earphone jack, emergency button
V2-R2HD1212-US	Revo NC2™ Noise Canceling with coiled cord, 2.5mm earphone jack, emergency button, USA Flag
V2 D211D4242 11C D	Revo NC2™ Noise Canceling with coiled cord, 2.5mm earphone jack, emergency button, USA Flag-
V2-R2HD1212-US-B	Blue Line
V2-R2HD1212-US-R	Revo NC2™ Noise Canceling with coiled cord, 2.5mm earphone jack, emergency button, USA Flag-
	Red Line
V2-S2HD12111	Storm with coiled cord, volume control, 2.5mm earphone jack, emergency button

PROFESSIONAL HEADSETS

PART NUMBER	DESCRIPTION
V4-11104	ClearTrak behind-the-head, dual speaker, heavy duty with standard PTT
V4-11230-S	Cleartrak NRX Over-the-head Headset with earcup PTT
V4-11231-S	ClearTrak NRX Behind-the-head Headset with earcup PTT

HYTERA

Connector Radio Models

HS TC700/TC610/618/620/626/518/580/TC446S,TC508, POWER446

COMMERCIAL SPEAKER MICROPHONES

PART NUMBER	DESCRIPTION
E2-RE2HS5111	Revo NC1 Noise Canceling with coiled cord, 3.5mm earphone jack

COMMERCIAL SURVEILLANCE KITS

PART NUMBER	DESCRIPTION
E1-1W2HS131	OTTO LOC 1 wire kit with in-line PTT and Mic (requires earpiece) black
E1-EA2HS131	1 Wire Monitoring Kit with in-line PTT and Mic, with quick disconnect acoustic tube, black
E1-ER2HS131	Fixed Ear Hanger with in-line PTT and Mic, black

Connector Radio Models
HX PD606/PD602

COMMERCIAL SURVEILLANCE KITS

PART NUMBER	DESCRIPTION
E1-1W2HX131	OTTO LOC 1 Wire Kit with in-line PTT and Mic (requires earpiece pg 15) Black

Connector Radio Models

MG POWER446 /TC-446S /TC-500 /TC508 /TC518 /TC580 TC600 /TC610 /TC620 / TC700 /TC700 Ex PLUS PD502 /562

PROFESSIONAL SURVEILLANCE KITS

PART NUMBER	DESCRIPTION
V1-10176	2 Wire Kit, black
V1-10284	3 Wire Mini Lapel Microphone Kit, black

COMMERCIAL SURVEILLANCE KITS

PART NUMBER	DESCRIPTION
E1-1W2MG131	OTTO LOC 1 Wire Kit with in-line PTT and Mic (requires earpiece), black
E1-2W2MG131	OTTO LOC 2 wire kit with in-line PTT and Mic (requires earpiece), black
E1-EA2MS131	1 Wire Monitoring Kit with in-line PTT and Mic, with quick disconnect acoustic tube, black
E1-EB2MS131	Earbud with in-line PTT and Mic, black
E1-ER2MS131	Fixed Ear Hanger with in-line PTT and Mic, black
E1-ET2MS131	Adjustable Rotating Ear Hanger with in-line PTT and Mic, black

PROFESSIONAL SPEAKER MICROPHONES

PART NUMBER	DESCRIPTION
V2-10026	Evolution with coiled cord, volume control, 2.5mm earphone jack
V2-R2MG5112	Revo NC2 Noise Canceling with coiled cord, 3.5mm earphone jack
V2-S2MG11111	Storm with coiled cord, volume control, 2.5mm earphone jack

COMMERCIAL SPEAKER MICROPHONES

PART NUMBER	DESCRIPTION
E2-RE2MG5111	Revo NC1 Noise Canceling with coiled cord, 3.5mm earphone jack

PROFESSIONAL HEADSETS

PART NUMBER	DESCRIPTION
V4-HN2MG2	Hurricane II, lightweight, dual speaker, 29dB reduction, behind-the-head, with no PTT and NoisEz™
	ear tips

V4-HN2MG5	Hurricane II, lightweight, dual speaker, 29dB reduction, behind-the-head, with mini PTT and NoisEz™
	ear tips
I^V/4-HN/M(¬3B	Hurricane II, lightweight, dual speaker, 29dB reduction, behind-the-head, with standard PTT and
	2.5mm pigtail for optional remote PTT and NoisEz™ ear tips
V4-10146	Classic over-the-head, dual speaker, heavy duty, with standard PTT
V4-10390	ClearTrak over-the-head, dual speaker, extreme noise with earcup PTT
V4-10047	ClearTrak hehind-the-head, dual speaker, extreme noise with earcup PTT

^{*}FOR REMOTE PTT ACCESSORIES USED WITH 2.5MM PIGTAIL JACK SEE PAGE 14

COMMERCIAL HEADSETS

PART NUMBER	DESCRIPTION
V4-BA2MG2	Breeze, lightweight, behind-the-head, single speaker, no PTT
V4-BA2MG5	Breeze, lightweight, behind-the-head, single speaker, with mini PTT
V4-BA2MG1	Breeze, lightweight, behind-the-head, single speaker with standard PTT
V4-SP2MG5	Lightweight Premium dual ear with swivel ear cup, mini PTT, noise canceling microphone
V4-DP2MG5	Lightweight Premium single ear, mini PTT, noise canceling boom microphone

TACTICAL THROAT MICROPHONE

PART NUMBER	DESCRIPTION
V1-T12MG137	Tactical Throat Microphone, with acoustic tube and 80mm PTT

Connector MM

Radio Models TC-10P / TC610P / 700P /780M /880GM

PROFESSIONAL SURVEILLANCE KITS

PART NUMBER	DESCRIPTION
V1-10778	2 Wire Kit, black

ICOM

Connector CF

Radio Models F3260/3261/3262/F4260/4261/F4262/F4360/F9021 F9011/F3400D/F4400D/F52D/F62D/F7010/7020

PROFESSIONAL SURVEILLANCE KITS

PART NUMBER	DESCRIPTION
V1-10938	2 Wire Kit, black
V1-10940	3 Wire Mini Lapel Microphone Kit Black, heavy duty cable, black

COMMERCIAL SURVEILLANCE KITS

PART NUMBER	DESCRIPTION
E1-1W2CF131	OTTO LOC 1 Wire Kit with in-line PTT and Mic (requires earpiece), black

PROFESSIONAL SPEAKER MICROPHONES

PART NUMBER	DESCRIPTION
V2-G4CF221	OTTO 500 Fire with Fire-Tuff™ coiled cord, emergency button

V2-R2CF5212 F	Revo NC2™ Noise Canceling with coiled cord, 3.5mm earphone jack, emergency button
---------------	---

Connector CH

Radio Models IP100H

PROFESSIONAL HEADSETS

PART NUMBER	DESCRIPTION
VΔ-HN2CH3R	Hurricane II, lightweight, dual speaker, 29dB reduction, behind-the-head, with standard PTT and
	2.5mm pigtail for remote PTT and NoisEz™ ear tips

^{*}FOR REMOTE PTT ACCESSORIES USED WITH 2.5MM PIGTAIL JACK SEE LINE 30

COMMERCIAL SURVEILLANCE KITS

PART NUMBER	DESCRIPTION
E1-1W2CH131	OTTO LOC 1 Wire Kit with in-line PTT and Mic (requires earpiece), black

Connector

Radio Models

CM F30G/F30GT/GS, F40GT/GS,

> F41G/F31G/F31GS/F40G/F50/F50V/F51/F60/F61/F70/F70DT/T/DS/S, F80/F80DT/T/DS/S, F3061/F3161/F4161/F3162/F4061S/JC-V80/V80E

PROFESSIONAL SURVEILLANCE KITS

PART NUMBER	DESCRIPTION
V1-10822	2 Wire Kit, heavy duty cable, black

COMMERCIAL SURVEILLANCE KITS

PART NUMBER	DESCRIPTION
E1-1W2CM131	OTTO LOC 1 Wire Kit with in-line PTT and Mic (requires earpiece), black

PROFESSIONAL SPEAKER MICROPHONES

PART NUMBER	DESCRIPTION
V2-R2CM5112	Revo NC2™ Noise Canceling with coiled cord, 3.5mm earphone jack
V2-10278	Evolution with coiled cord, volume control, emergency button, 2.5mm earphone jack (F51/F61 Only)
V2-S2CM11111	Storm with coiled cord, volume control, 2.5mm earphone jack
V2-S2CM11121-S	Storm with coiled cord, noise canceling, volume control 2.5mm earphone jack IS/ATEX approved

PROFESSIONAL HEADSETS

PART NUMBER	DESCRIPTION
V4-HN2CM3B*	Hurricane II, lightweight, dual speaker, 29dB reduction, behind-the-head, with standard PTT and
	2.5mm pigtail for remote PTT and NoisEz™ ear tips
V4-10515	Classic over-the-head dual speaker heavy duty with standard PTT

^{*}FOR REMOTE PTT ACCESSORIES USED WITH 2.5MM PIGTAIL JACK SEE PAGE 15

COMMERCIAL HEADSETS

PART NUMBER	DESCRIPTION
V4-BA2CM1	Breeze, lightweight, behind-the-head, single speaker with standard PTT

TACTICAL HEADSETS

CS

PART NUMBER	DESCRIPTION
V4-10531	Tactical II with soft earcup, boom microphone, black Velcro [™] head strap and elastic band with body PTT

Connector Radio Models

F11/F11S/F12/F14S/F21/F21S/F24/F24S/F33GS/F33GT/F43GS/F3230OD/F42 30OD/F43GT/F43TR/F3003/F4003/F4029DR/F43GS/F43GT/F43TR/F1000/F2 000/ F3021/F4021/F4029SDR/F3001/F4001/F3011/F4011 F3021/F3101/F4101

PROFESSIONAL SURVEILLANCE KITS

PART NUMBER	DESCRIPTION
V1-10756	2 Wire Kit, black

COMMERCIAL SURVEILLANCE KITS

PART NUMBER	DESCRIPTION
E1-1W2CS131	OTTO LOC 1 Wire Kit with in-line PTT and Mic (requires earpiece) (F1000/F2000 ONLY), black
E1-2W2CS131	OTTO LOC 2 Wire Kit in-line PTT and Mic (requires earpiece) (F1000/F2000 ONLY), black
E1-ET2CS131	Adjustable Rotating Ear Hanger with in-line PTT and Mic (F1000/F2000 ONLY), black

PROFESSIONAL SPEAKER MICROPHONES

PART NUMBER	DESCRIPTION
V2-R2CS5112	Revo NC2™ Noise Canceling with coiled cord, 3.5mm earphone jack, no emergency button
V2-10288	Evolution with coiled cord, volume control, 2.5mm earphone jack

COMMERCIAL SPEAKER MICROPHONES

PART NUMBER	DESCRIPTION
E2-RE2CS5111	Revo NC1 Noise Canceling with coiled cord, 3.5mm earphone jack (F1000/F2000 ONLY)
V2-L2CS11	Low Profile with coiled cord, 2.5mm earphone jack

PROFESSIONAL HEADSETS

PART NUMBER	DESCRIPTION
I*V4-HN2C\$3B	Hurricane II, lightweight, dual speaker, 29dB reduction, behind-the-head, with standard PTT and
	2.5mm pigtail for remote PTT & NoisEz™ ear tips
*V4-NR2CS3B	Ranger, single speaker, behind-the-head, standard PTT and 2.5mm pigtail for remote PTT
V4-10480	Classic over-the-head, dual speaker, heavy duty with standard PTT
V4-10731	ClearTrak behind-the-head dual speaker extreme noise with earcup PTT

^{*}FOR REMOTE PTT ACCESSORIES USED WITH 2.5MM PIGTAIL JACK SEE PAGE 14

COMMERCIAL HEADSETS

PART NUMBER	DESCRIPTION	l
FAILL MOINIDEIL	DESCRIFTION	1

V4-SP2CS5	Lightweight Premium single ear, mini PTT, noise canceling boom microphone

KENWOOD

Connector KA

Radio Models

FREE TALK XLS/ NX240V/ 340U/ NX420/ PRO TALK XLS/ TK208/ 308/

TK2100/ 3100/ TK3102 /2160

3160/3101/TK2170/3170/3173/TK220/320/TK240

340/TK240D/340D/T248/TK250/350/353/TK348

TK248/TK430/431/TK2200/3200/TK2202/3202/TK3212/TK2130/TK2212/TK2 300/TK2312/3101 FREE TALK TK2400 /TK2302 /3302 /NX220 /320 TK3312 /TK259 359 /TK272G /372G /TK3100 TK3130 (PRO TALK XLS) TK3173 /TK2360 /TK3230 TK3360 /TK3131 /TK3201 TK3300 /TK3350 /TK260G /360G /TK270G 370G/TK373G/XL2102/3102/PRO TALK/ TK2400VP 3400UP TK2402V /3402U /TK260 /TK360 TK370 TK373 TK2130/(PRO TALK XLS)/TK3131 (FREETALK XLS) NX420 /TK220 /TK2102 /TK2402V TK3203 TK2402/XL3112/PROTALK/TK3102 TK32030/TK3400

KENWOOD ADAPTER

PART NUMBER	DESCRIPTION
V1-10894	Attaches to Kenwood TK480 series (KB) to use TK250 series accessories (KA)

PROFESSIONAL SURVEILLANCE KITS

PART NUMBER	DESCRIPTION
V1-10269	1 Wire Earphone Kit (Receive only no transmit), black
V1-10267	2 Wire Kit, black
V1-10266	2 Wire Kit, beige

COMMERCIAL SURVEILLANCE KITS

PART NUMBER	DESCRIPTION
E1-1W2KA131	OTTO LOC 1 Wire Kit with in-line PTT and Mic (requires earpiece), black
E1-2W2KA131	OTTO LOC 2 Wire Kit and in-line PTT and Mic (requires earpiece), black
E1-EA2KA131	1 Wire Monitoring Kit with in-line PTT and Mic, with quick disconnect acoustic tube, black
E1-EB2KA131	Earbud with in-line PTT and Mic, black
E1-EL2KA131	Earloop with Earbud, in-line PTT and Mic, black
E1-ER2KA131	Fixed Ear Hanger with in-line PTT and Mic, black
E1-ET2KA131	Adjustable Rotating Ear Hanger with in-line PTT and Mic, black

PROFESSIONAL SPEAKER MICROPHONES

PART NUMBER	DESCRIPTION
V2-R2KA5112	Revo NC2™ Noise Canceling with coiled cord, 3.5mm earphone jack
V2-10030	Evolution with coiled cord, volume control and 2.5mm earphone jack
V2-10030-S	Evolution with coiled cord, volume control and 2.5mm earphone jack - IS/ATEX Approved

V2-S2KA11111	Storm with coiled cord, volume control and 2.5mm earphone jack
--------------	--

COMMERCIAL SPEAKER MICROPHONES

PART NUMBER	DESCRIPTION
V2-L2KA11	Low Profile with coiled cord, 2.5mm earphone jack
E2-RE2KA5111	Revo NC1 Noise Canceling with coiled cord, 3.5mm earphone jack

PROFESSIONAL HEADSETS

PART NUMBER	DESCRIPTION
V4-HS2KA5	H3 with SureFire™ filters, lightweight, dual speaker, behind-the-head with mini PTT
V4-HN2KA5	Hurricane II, lightweight, dual speaker, 29dB reduction, behind-the-head, with Mini PTT and NoisEz™
	eartips
V4-NR2KA1	Ranger, single speaker, behind-the-head with standard PTT
V4-10018	Classic Over-the-head, dual speaker, heavy duty with standard PTT
V4-11222-S	ClearTrak NRX Over-the-head headset w/earcup PTT
V4-11223-S	ClearTrak NRX Behind-the-head headset w/earcup PTT
V4-11229-S	ClearTrak NRX Headset, Hard Hat Mounts, with earcup PTT
V4-10413	ClearTrak, over-the-head, dual speaker extreme noise with earcup PTT

COMMERCIAL HEADSETS

PART NUMBER	DESCRIPTION
V4-DP2KA5	Lightweight Premium dual ear with swivel ear cup, mini PTT, noise canceling microphone
V4-SP2KA5	Lightweight Premium single ear, mini PTT, noise canceling boom microphone
V4-BA2KA2	Breeze, lightweight, behind-the-head, single speaker, no PTT
V4-BA2KA5	Breeze, lightweight, behind-the-head, single speaker with mini PTT
*V4-BA2KA3B	Breeze, lightweight, behind-the-head, single speaker with standard PTT and 2.5mm pigtail for
	optional remote PTT
V4-BA2KA1	Breeze, lightweight, behind-the-head, single speaker with standard PTT

^{*}FOR REMOTE PTT ACCESSORIES USED WITH 2.5MM PIGTAIL JACK SEE LINE 30

TACTICAL SKULL & THROAT MICROPHONE SYSTEMS

PART NUMBER	DESCRIPTION
V1-T12KA137	Tactical Throat Microphone, with acoustic tube and 80mm PTT

Connector KB

Radio Models

NX200/NX300/NX210/NX410/NX5200/5300/5400/TK190/TK280/380/TK290 /390/TK480/481/TK2140/3140/TK2180/3180/TK5310/TK5400/5210/TK5220 /TK5320/TK3148/385/VP5000/VP6000/TK5310/TK5400/NEXEDGE SERIES

PROFESSIONAL SURVEILLANCE KITS

PART NUMBER	DESCRIPTION
V1-10430	Adapter with 2.5mm jack for use with 1 Wire Earphone Kits
V1-10247	1 Wire Earphone Kit, 2.5mm jack, 48" cable (Receive only no transmit) adapter required, black
V1-10695	2 Wire Kit, black
V1-11020	2 Wire Kit (For NX-200/NX-300 Digital Radios Only), black

COMMERCIAL SURVEILLANCE KITS

PART NUMBER	DESCRIPTION
E1-1W2KB131	OTTO LOC 1 Wire Kit and in-line PTT and Mic (requires earpiece), black
E1-2W2KB131	OTTO LOC 2 Wire Kit with in-line PTT and Mic (requires earpiece), black

PROFESSIONAL SPEAKER MICROPHONE

PART NUMBER	DESCRIPTION
V2-G4KC221-S	OTTO 500 Fire with Fire-Tuff™ coiled cord, emergency button
V2-R2KB5112-US	Revo NC2™ Noise Canceling with coiled cord, 3.5mm earphone jack, USA Flag
V2-R2KB5112-US-B	Revo NC2™ Noise Canceling with coiled cord, 3.5mm earphone jack, USA Flag-Blue Line
V2-R2KB5112-US-R	Revo NC2™ Noise Canceling with coiled cord, 3.5mm earphone jack, USA Flag-Red Line
V2-R2KB5112	Revo NC2™ Noise Canceling with coiled cord, 3.5mm earphone jack
V2-R2KB5212-US	Revo NC2™ Noise Canceling with coiled cord, 3.5mm earphone jack, emergency button, USA Flag
V2-R2KB5212-US-B	Revo NC2™ Noise Canceling with coiled cord, 3.5mm earphone jack, emergency button, USA Flag- Blue Line
V2-R2KB5212-US-R	Revo NC2™ Noise Canceling with coiled cord, 3.5mm earphone jack, emergency button, USA Flag- Red Line
V2-R2KB5212	Revo NC2™ Noise Canceling with coiled cord, 3.5mm earphone jack, emergency button
V2-10068	Evolution with coiled cord, volume control, 2.5mm earphone jack
V2-10068-S	Evolution with coiled cord, volume control, 2.5mm earphone jack -IS/ATEX Approved
V2-G2KB321	Genesis II with coiled cable, emergency button, accessory jack

COMMERCIAL SPEAKER MICROPHONES

PART NUMBER	DESCRIPTION
E2-RE2KB5111	Revo NC1 Noise Canceling with coiled cord, 3.5mm earphone jack

PROFESSIONAL HEADSETS

PART NUMBER	DESCRIPTION
V4-HS2KB1	H3 with SureFire™ filters, lightweight, dual speaker, behind-the-head with standard PTT
V4-HN2KB1	Hurricane II, lightweight, dual speaker, 29dB reduction, behind-the-head, with standard PTT and NoisEz™ eartips
I^V4-HNZKB3B	Hurricane II, lightweight, dual speaker, 29dB reduction, behind-the-head, with standard PTT and 2.5mm pigtail for optional remote PTT and NoisEz™ eartips
V4-11226-S	ClearTrak NRX Over-the-Head w/earcup PTT
V4-11227-S	ClearTrak NRX Behind-the-Head w/earcup PTT
V4-11228-S	ClearTrak NRX Headset, Hard Hat Mounts, with earcup PTT
V4-10080	Classic over-the-head, dual speaker, heavy duty with standard PTT
V4-10415	ClearTrak over-the-head, dual speaker extreme noise with Earcup PTT
V4-10388	ClearTrak behind-the-head, dual speaker extreme noise with Earcup PTT

^{*}FOR REMOTE PTT ACCESSORIES USED WITH 2.5MM PIGTAIL JACK SEE LINE 30

COMMERCIAL HEADSETS

PART NUMBER	DESCRIPTION
V4-DP2KB5	Lightweight Premium dual ear with swivel ear cup, mini PTT, noise canceling microphone
V4-SP2KB5	Lightweight Premium single ear, mini PTT, noise canceling boom microphone

V4-BA2KB1	Breeze, lightweight, behind-the-head, single speaker with standard PTT
VT DAZNOT	Diceze, lightweight, bennia the nead, shigle speaker with standard i i i

TACTICAL SKULL & THROAT MICROPHONE SYSTEMS

PART NUMBER	DESCRIPTION
V1-T12KB137	Tactical Throat Microphone, with acoustic tube and 80mm PTT
V1-T12KB117	Tactical Throat Microphone, with acoustic tube, 80mm PTT and Ring PTT

TACTICAL HEADSETS

PART NUMBER	DESCRIPTION
V4-11056BK	NOIZEBARRIER® TAC, over the head, black, single com, rugged single PTT
V4-10688	Tactical II Headset, with soft earcup, boom microphone, black Velcro™ head strap and elastic band with body PTT
V4-10833	Tactical III Headset, combined speaker and boom microphone, Velcro™ pouch with black over-the- head strap and elastic band with standard PTT and standard 2.5mm pigtail for remote PTT

Connector Radio Models KD PKT SERIES

COMMERCIAL SURVEILLANCE KITS

PART NUMBER	DESCRIPTION
E1-1W2KD131	OTTO LOC 1 Wire Kit with in-line PTT and Mic (requires earpiece), black

MOTOROLA

MOTOROLA ADAPTERS

PART NUMBER	DESCRIPTION
V1-11019	Attaches to TRBO/APX series radios (MF) to use 3.5 threaded connector accessories (3T)
V1-11034	Attaches to TRBO/APX series radios (MF) to use 6 pin Hirose accessories (MD)
V1-11091	Attaches to TRBO/APX series radios (MF) to use 12 pin Hirose connector series accessories
V1-11097	Attaches to TRBO/APX series radios (MF) to use GP300 accessories (MG)

Connector Radio Models

MA GP900/GP1200/GP9000/PR1500/HT1000/MT1500/MT2000/MTS2000/MTX8

000/MTX838/MTX1000/MTX9000/MTX-LS /XTS1500 /XTS2500 /XTS3000 /XTS3500 /XTS5000

COMMERCIAL SURVEILLANCE KITS

PART NUMBER	DESCRIPTION
E1-1W2MA131	OTTO LOC 1 Wire Kit with in-line PTT and Mic (requires earpiece), black

PROFESSIONAL SPEAKER MICROPHONE-NO ADAPTER REQUIRED

PART NOMBER	PART NUMBER	DESCRIPTION
-------------	-------------	-------------

W2-R2MX5312	Revo NC2™ Noise Canceling with coiled cord, 3.5mm earphone jack, digital emergency button
	(XTS1500, XTS2500 , XTS3000, XTS3500 and XTS5000 only)
V2-10031	Evolution with coiled cord, volume control and 2.5mm earphone jack
V2-10031-S	Evolution with coiled cord, volume control and 2.5mm earphone jack-IS/ATEX Approved

Connector

3T

Radio Models REQUIRES ADAPTER V1-10335

GP900/GP1200/GP9000/PR1500/HT1000/MT1500/ MT2000/MTS2000/MTX8000/MTX838/MTX1000/ MTX9000/MTX-LS /XTS1500 /XTS2500 /XTS3500 /XTS5000

PROFESSIONAL SUVEILLANCE KITS: REQUIRES ADAPTER V1-10335

PART NUMBER	DESCRIPTION
V1-10335	Adapter required for use with surveillance kits shown below
V1-10698	1 Wire Earphone Kit, 36 inches (Receive only no transmit), black
V1-10174	1 Wire Earphone Kit, 48 inches (Receive only no transmit), black
V1-10172	2 Wire Kit, black
V1-10337	2 Wire Kit, heavy duty cable, black

PROFESSIONAL HEADSETS: REQUIRES ADAPTER V1-10335

PART NUMBER	DESCRIPTION
V1-10335	Adapter for use of Headsets listed below
V4-10145	Classic over-the-head, dual speaker heavy duty with standard PTT

^{*}FOR REMOTE PTT ACCESSORIES USED WITH 2.5MM PIGTAIL JACK SEE LINE 30

Connector Radio Models
MD 6 PIN ASTRO/SABER SERIES

HIROSE HT600/MT1000/MTX800/MTX CLASSIC/MTX900

ADAPTERS FOR 6 PIN ACCESSORIES

PART NUMBER	DESCRIPTION
V1-11034	Adapter for TRBO APX W/6 pin Hirose Jack

PROFESSIONAL SURVEILLANCE KITS

PART NUMBER	DESCRIPTION
V1-10166	2 Wire Kit, black
V1-10165	2 Wire Kit, beige

Connector

ME

Radio Models

CLS1110/CLS1410/CP100/DTR2350/DTR2450
DTR500/DTR550/DTR650/GP2000/GTI/PMR446
PRO1150/PRO2150/PRO400/RDU2020/2080/ RDV5100 /SP10 /SP21 /VL50
/VX1100 /XTN446 /XTN500 XTN600 /XU1100 /XU2100 /XU2600 /XV1100
/XV2100

PROFESSIONAL SURVEILLANCE KITS

PART NUMBER	DESCRIPTION
V1-10182	1 Wire Earphone Kit (Receive only no transmit), black
V1-10180	2 Wire Kit, black

COMMERCIAL SURVEILLANCE KITS

PART NUMBER	DESCRIPTION
E1-EA2MS131	1 Wire Monitoring Kit with in-line PTT and Mic, with quick disconnect acoustic tube, black
E1-ER2MS131	Fixed Ear Hanger in-line PTT and mic, black
E1-EB2MS131	Earbud with in-line PTT and Mic, black
E1-ET2MS131	Adjustable Rotating Ear Hanger with in-line microphone with mini PTT, black

PROFESSIONAL HEADSETS

PART NUMBER	DESCRIPTION
V4-10147	Classic over-the-head, dual speaker, heavy duty, with standard PTT

COMMERCIAL HEADSETS

PART NUMBER	DESCRIPTION
V4-BA2ME1	Breeze, lightweight, behind-the-head, single speaker with standard PTT

COMMERCIAL SPEAKER MICROPHONES

PART NUMBER	DESCRIPTION
V2-L2ME11	Low Profile with coiled cord, 2.5mm earphone jack

Connector Radio Models

MF APX1000/APX3000/APX4000/APX6000/APX6000XE/APX7000/APX7000XE/A

PX8000/DP3400/DP3401 /DP3600/DP3601/DP4400/4401/DP4600/4601/ DP4800/4801/XPR6100/MTP850S/MTP6550/ MTP6750/ XPR6350 /XPR6380

/XPR6550 /XPR6580 /XPR7350 / XPR7550

PROFESSIONAL SURVEILLANCE KITS

PART NUMBER	DESCRIPTION
V1-11046	2 Wire Kit, black
V1-11048	2 Wire Kit, beige
V1-10945	3 Wire Mini Lapel Microphone Kit, heavy duty cable, black
V1-11539	3 Wire Mini Lapel with Flat PTT Microphone Kit, black

COMMERCIAL SURVEILLANCE KITS

PART NUMBER	DESCRIPTION
E1-1W2MF131	OTTO LOC 1 Wire Kit with in-line PTT and Mic (requires earpiece), black
E1-2W2MF131	OTTO LOC 2 Wire Kit in-line PTT and Mic (requires earpiece), black

PROFESSIONAL SPEAKER MICROPHONES

PART NUMBER	DESCRIPTION

V2-G4MF211	OTTO 500 with Fire-Tuff™ cable
V2-R2MF5112-US	Revo NC2™ Noise Canceling with coiled cord, 3.5mm earphone jack, USA Flag
V2-R2MF5112-US-B	Revo NC2™ Noise Canceling with coiled cord, 3.5mm earphone jack, USA Flag-Blue Line
V2-R2MF5112-US-R	Revo NC2™ Noise Canceling with coiled cord, 3.5mm earphone jack, USA Flag-Red Line
V2-R2MF5112	Revo NC2™ Noise Canceling with coiled cord, 3.5mm earphone jack
V2-S2MF11111	Storm with coiled cord, volume control and 2.5mm earphone jack
V2-S2MF11111-S	Storm with coiled cord, volume control and 2.5mm earphone jack (IS/Atex approved)

PROFESSIONAL HEADSETS

PART NUMBER	DESCRIPTION
II*V∕4-H\$2MF3R	H3 with SureFire™ filters, lightweight dual speaker, behind-the-head with standard PTT and 2.5mm
	pigtail for optional remote PTT
*V4-HN2MF3B	Hurricane II, lightweight, dual speaker, 29dB reduction, behind-the-head, with standard PTT and
	2.5mm pigtail for remote PTT and NoisEz™ ear tips
V4-10693	Classic over-the-head, dual speaker, heavy duty, with standard PTT
V4-10785	ClearTrak behind-the-head, dual speaker, extreme noise with earcup PTT

^{*}FOR REMOTE PTT ACCESSORIES USED WITH 2.5MM PIGTAIL JACK SEE LINE 30

COMMERCIAL HEADSETS

PART NUMBER	DESCRIPTION
V4-DP2MF5	Lightweight Premium dual ear with swivel ear cup, mini PTT, noise canceling microphone
V4-SP2MF5	Lightweight Premium single ear, mini PTT, noise canceling boom microphone
V4-BA2MF1	Breeze, lightweight, behind-the-head, single speaker with standard PTT

TACTICAL SKULL AND THROAT MICROPHONES

PART NUMBER	DESCRIPTION
V1-T12MF117	Tactical Throat Microphone, with acoustic tube and 80mm PTT and remote ring PTT

TACTICAL HEADSETS

PART NUMBER	DESCRIPTION
V4-10973	Tactical III , over-the-head nylon strap, boom microphone, ruggedized PTT

Connector Radio Models

MG BC120/110/130/BPR40/CLS446/CP040/CP88/CP125/CP140/CP150/CP160/C

P180/CP185/CP200/CT150

CT250/CT450/CT450LS/DTR24XX/EP450/GP68/GP88/GP300/GP308/GP3188

/LTS2000/MTH500/P040/P080

P110/P1225/P1225LS/P2000/PR400/PRO2150 PRO3150/SP50/VL130/XTN446/XTNi/XTNiD

PROFESSIONAL SURVEILLANCE KITS

PART NUMBER	DESCRIPTION
V1-10176	2 Wire Kit, black
V1-10284	3 Wire Mini Lapel Microphone Kit, black

COMMERCIAL SURVEILLANCE KITS

PART NUMBER	DESCRIPTION
E1-1W2MG131	OTTO LOC 1 Wire Kit with in-line PTT and Mic (requires earpiece), black
E1-2W2MG131	OTTO LOC 2 Wire Kit with in-line PTT and Mic (requires earpiece), black
E1-EA2MS131	1 Wire Earphone Kit with in-line PTT and Mic, with quick disconnect acoustic tube, black
E1-EL2MS131	Earloop with Earbud, un-line PTT and Mic,black
E1-EB2MS131	Earbud with in-line PTT and Mic, black
E1-ER2MS131	Fixed Ear Hanger with in-line PTT and Mic, black
E1-ET2MS131	Adjustable Rotating Ear Hanger with in-line PTT and Mic, black

PROFESSIONAL SPEAKER MICROPHONES

PART NUMBER	DESCRIPTION
V2-R2MG5112	Revo NC2™ Noise Canceling with coiled cord, 3.5mm earphone jack
V2-10026	Evolution with coiled cord, volume control, 2.5mm earphone jack
V2-S2MG11111	Storm with coiled cord, volume control, 2.5mm earphone jack

COMMERCIAL SPEAKER MICROPHONES

PART NUMBER	DESCRIPTION
V2-L2MG11	Low Profile with coiled cord, 2.5mm earphone jack
E2-RE2MG5111	Revo NC1 Noise Canceling with coiled cord, 3.5mm earphone jack

PROFESSIONAL HEADSETS

PART NUMBER	DESCRIPTION
V4-10047	ClearTrak, behind-the-head, dual speaker with earcup PTT
V4-10390	ClearTrak over-the-head, dual speaker with earcup PTT
V4-10146	Classic over the head, dual speaker, heavy duty with standard PTT
V4-HN2MG5	Hurricane II, lightweight, dual speaker, 29dB reduction, behind-the-head, with Mini PTT and NoisEz™
	ear tips
Ι^\/Δ-ΗΝΙ /Ι // Ι(¬ΖΒ	Hurricane II, lightweight, dual speaker, 29dB noise reduction with standard PTT and 2.5mm pigtail
	for optional remote PTT

COMMERCIAL HEADSETS

PART NUMBER	DESCRIPTION
V4-DP2MG5	Lightweight Premium dual ear with swivel ear cup, mini PTT, noise canceling microphone
V4-SP2MG5	Lightweight Premium single ear, mini PTT, noise canceling boom microphone
V4-BA2MG2	Breeze, lightweight, behind-the-head, single speaker, no PTT
V4-BA2MG5	Breeze, lightweight, behind-the-head, single speaker, mini PTT
V4-BA2MG1	Breeze, lightweight, behind-the-head, single speaker, with
	standard PTT

TACTICAL THROAT MICROPHONE

PART NUMBER	DESCRIPTION
V1-T12MG137	Tactical Throat Microphone, with acoustic tube and 80mm PTT

Connector Radio Models

MJ

GP140/GP240/GP280/GP320/GP328/GP329/GP338/ GP339/GP340/GP360/GP380/GP640/GP650/GP680/ GP1280/DP4000/HT750/HT1250/HT1250LS/HT1550/ HT1500XLS/MTP700/MTP750/MTX838/MTX850/ MTX850LS/MTX900/MTX950/MTX960/MTX1500/

MTX4550/MTX8250/MTX8250LS/MTX9250/PR860/ PRO5150/ PRO5350 /PRO5450 /PRO5550 /PRO5750 /PRO7150 PRO7350 /PRO7450 /PRO7550 /PRO7750 /PRO9150/ PTX700/PTX760

PROFESSIONAL SURVEILLANCE KITS

PART NUMBER	DESCRIPTION
V1-10669	2 Wire Kit, black

PROFESSIONAL SPEAKER MICROPHONES

PART NUMBER	DESCRIPTION
V2-G4MJ211	OTTO 500 with Fire-Tuff coiled cable
V2-10228-S	Evolution with coiled cord, volum control and 2.5mm earphone jack-IS/ATEX Approved

Connector Radio Models
ML CLP SERIES

COMMERCIAL SURVEILLANCE KITS

PART NUMBER	DESCRIPTION
E1-1W2ML131	OTTO LOC 1 Wire Kit with in-line PTT and Mic (requires earpiece), black

Connector Radio Models

MM EX500/EX560/EX600/GL2000/GP328PLUS

GP338PLUS/GP344/GP388/PRO5150ELITE/PRO7150

PRO9150/ELITE7150/ELITE9150

PROFESSIONAL SURVEILLANCE KITS

PART NUMBER	DESCRIPTION
V1-10778	2 Wire Kit, black

Connector Radio Models

MR XPR3300/3500 SERIES DP3441/DP2000/DP2400

DP2600/MTP3100/3150/3200/3250/3500/3550

PROFESSIONAL SURVEILLANCE KITS

PART NUMBER	DESCRIPTION
V1-11552	3 Wire Kit, black

COMMERCIAL SURVEILLANCE KITS

PART NUMBER	DESCRIPTION
E1-1W2MR131	OTTO LOC 1 Wire Kit with in-line PTT and Mic (requires earpiece), black

E1-EA2MR131 1 Wire Earphone Kit with in-line PTT and Mic, with quick disconnect acoustic tube, black
--

PROFESSIONAL SPEAKER MICROPHONES

PART NUMBER	DESCRIPTION
V2-10717	Evolution with coiled cord, volume control, 2.5mm earphone jack

COMMERCIAL SPEAKER MICROPHONE

PART NUMBER	DESCRIPTION
E2-RE2MR5111	Revo NC1 Noise Canceling with coiled cord, 3.5mm earphone jack

PROFESSIONAL HEADSETS

PART NUMBER	DESCRIPTION
*\//I_HN 2 \/ R3R	Hurricane II, lightweight, dual speaker, 29dB reduction, behind-the-head, with standard PTT and
	2.5mm pigtail for remote PTT & NoisEz™ ear tips

^{*}FOR REMOTE PTT ACCESSORIES USED WITH 2.5MM PIGTAIL JACK SEE PAGE 14

Radio Models Connector

SL SL300/SL7000/SL7500/SL7550/SL4000/SL4010

COMMERCIAL SURVEILLANCE KITS

PART NUMBER	DESCRIPTION
E1-1W2SL131	OTTO LOC 1 Wire Kit and in-line PTT and Mic (requires earpiece), black

VERTEX-YAESU

Connector Radio Models

VD FT60R/VX131/VX160/VX180/VX210/VX210A/VX260

> SERIES/VX230/VX231/VX414/VX320/VX321/VX350/VX351/VX354/VX410/V X417/VX420/VX420A LTR/VX424/VX400/VX450/VX451/VX454/VX459/

EVX531/534/539

PROFESSIONAL SURVEILLANCE KITS

PART NUMBER	DESCRIPTION
V1-10617	2 Wire Kit, black
V1-10618	3 Wire Mini Lapel Microphone Kit, heavy duty cable, black

PROFESSIONAL SPEAKER MICROPHONES

PART NUMBER	DESCRIPTION
V2-R2VD5112	Revo NC2™ Noise Canceling with coiled cord, 3.5mm earphone jack
V2-10169	Evolution with coiled cord, volume control, 2.5mm earphone jack
V2-S2VD11111	Storm with coiled cord, volume control, 2.5mm earphone jack

PROFESSIONAL HEADSETS

PART NUMBER	DESCRIPTION
V4-HN2VD5	Hurricane II, lightweight, dual speaker, 29dB reduction, behind-the-head, with mini PTT and NoisEz™ ear tips
V4-10406	ClearTrak, behind-the-head, dual speaker, extreme noise with earcup PTT

COMMERCIAL SURVEILLANCE KITS

PART NUMBER	DESCRIPTION
E1-1W2VD131	OTTO LOC 1 Wire Kit with in-line PTT and Mic (requires earpiece), black
E1-2W2VD131	OTTO LOC 2 Wire Kit with in-line PTT and Mic (requires earpiece), black
E1-EL2VD131	Earloop with Earbud, in-line PTT and Mic, black

COMMERCIAL SPEAKER MICROPHONES

PART NUMBER	DESCRIPTION
V2-L2VD11	Low Profile with coiled cord, 2.5mm earphone jack
E2-RE2VD5111	Revo NC1 Noise Canceling with coiled cord, 3.5mm earphone

COMMERCIAL HEADSETS

PART NUMBER	DESCRIPTION
V4-BA2VD1	Breeze, lightweight, behind-the-head, single speaker with standard PTT

Connector Radio Models

VJ VX-820 / VX-821 / VX-824 / VX-829 / VX-920 / VX-921 / VX-924 / VX-929 / VXD720

PROFESSIONAL SURVEILLANCE KITS

PART NUMBER	DESCRIPTION
V1-10815	2 Wire Kit, black

COMMERCIAL SURVEILLANCE KITS

PART NUMBER	DESCRIPTION
E1-1W2VJ131	OTTO LOC 1 Wire Kit with in-line PTT and Mic (requires earpiece), black

PROFESSIONAL SPEAKER MICROPHONES

PART NUMBER	DESCRIPTION
V2-10318	Evolution with coiled cord, volume control and 2.5mm earphone jack
V2-S2VJ11111	Storm with coiled cord, volume control with 2.5mm earphone jack

PROFESSIONAL HEADSETS

PART NUMBER	DESCRIPTION
V4-10775	ClearTrak, behind-the-head, dual speaker, heavy duty with standard PTT

Connector Radio Models VX EVX-S24

COMMERCIAL SURVEILLANCE KITS

PART NUMBER	DESCRIPTION
E1-EC2VK131	2 Wire Earphone Kit with in-line PTT and Mic, with quick disconnect acoustic tube black

AIRBUS

Connector NH

Radio Models THR800 / THR880i

PROFESSIONAL SURVEILLANCE KITS

PART NUMBER	DESCRIPTION
V1-10845	2 Wire Kit, heavy duty cable, black
V1-11088	2 Wire Kit, heavy duty cable, beige

Connector Radio Models
AB THR9

PROFESSIONAL SPEAKER MICROPHONES

PART NUMBER	DESCRIPTION
V2-R2AB5112	Revo NC2™ Noise Canceling with coiled cord, 3.5mm earphone jack, digital emergency button

PROFESSIONAL HEADSETS

PART NUMBER	DESCRIPTION
V4-11080	Classic over-the-head, dual speaker heavy duty, with standard PTT
I^V4-HN2AB1	Hurricane II, lightweight, dual speaker, 29dB reduction, behind-the-head, with standard PTT and NoisEz™ ear tips
V4-HS2AB1	H3 with SureFire™ filters, lightweight, dual speaker, behind-the-head with standard PTT

^{*}FOR REMOTE PTT ACCESSORIES USED WITH 2.5MM PIGTAIL JACK SEE LINE 30

COMMERCIAL HEADSETS

PART NUMBER	DESCRIPTION
V4-BA2AB1	Breeze, lightweight, behind-the-head, single speaker with standard PTT

TACTICAL HEADSETS

PART NUMBER	DESCRIPTION
V4-11081	Tactical II with soft earcup, boom microphone, black Velcro™ head strap and elastic band with Body
	PTT

MOTOROLA-TETRA

Connector Radio Models

MO SIDE MTH650 / MTH700 / MTH850 / MTP850

CONNECTOR

PROFESSIONAL SURVEILLANCE KITS

PART NUMBER	DESCRIPTION
V1-10803	2 Wire Kit, heavy duty cable with side connector, beige
V1-10942	3 Wire Mini Lapel with Flat PTT Microphone Kit, black

Connector Radio Models

MJ MTP850EX

PROFESSIONAL SPEAKER MICROPHONES

PART NUMBER	DESCRIPTION
V2-10375-S	Evolution with coiled cord, volume control, 3.5mm earphone jack with MTP850EX only IS/ATEX
	Approved (MJ Connector)

Connector Radio Models MF MTP8505

PROFESSIONAL SURVEILLANCE KITS

PART NUMBER	DESCRIPTION
V1-11046	2 Wire Kit, black
V1-11048	2 Wire Kit, beige

COMMERCIAL SURVEILLANCE KITS

PART NUMBER	DESCRIPTION
E1-1W2MF131	OTTO LOC 1 Wire Kit with line-PTT and Mic (requires earpiece), black
E1-2W2MF131	OTTO LOC 2 Wire Kit with in-line PTT and Mic (requires earpiece), black

PROFESSIONAL SPEAKER MICROPHONES

PART NUMBER	DESCRIPTION
V2-G4MF211	OTTO 500 with Fire-Tuff™ coiled cable
V2-R2MF5112	Revo NC2™ Noise Canceling with coiled cord, 3.5mm earphone jack
V2-S2MF11111	Storm with coiled cord, volume control and 2.5mm earphone jack
V2-S2MF11111-S	Storm with coiled cord, volume control and 2.5mm earphone jack

COMMERCIAL SPEAKER MICROPHONES

PART NUMBER	DESCRIPTION
E2-RE2MF5111	Revo NC1 Noise Canceling with coiled cord, 3.5mm earphone jack

PROFESSIONAL HEADSETS

PART NUMBER	DESCRIPTION
V4-H5/IVIE3B	H3 with SureFire™ filters, lightweight dual speaker, behind-the-head with standard PTT and 2.5mm
	pigtail for optional remote PTT
*V4-HN2MF3B	Hurricane II, lightweight, dual speaker, 29dB reduction, behind-the-head, with standard PTT and
	2.5mm pigtail for remote PTT and NoisEz™ ear tips
V4-10693	Classic over-the-head, dual speaker, heavy duty, with standard PTT
V4-10785	ClearTrak, behind-the-head, dual speaker, heavy duty, extreme noise canceling, PTT on earcup

^{*}FOR REMOTE PTT ACCESSORIES USED WITH 2.5MM PIGTAIL JACK SEE PAGE 14

COMMERCIAL HEADSETS

PART NUMBER	DESCRIPTION
V4-SP2MF5	Lightweight Premium dual ear with swivel ear cup,mini PTT, noise canceling microphone
V4-DP2MF5	Lightweight Premium single ear, mini PTT, noise canceling boom microphone
V4-BA2MF1	Breeze, lightweight, behind-the-head, single speaker with standard PTT

TACTICAL SKULL AND MICROPHONE SYSTEMS

PART NUMBER	DESCRIPTION
V1-T12MF117	Tactical Throat Microphone, with acoustic tube and 80mm PTT and ring PTT

Connector Radio Models

MR XPR3300/3500 SERIES DP2400 DP2600/MTP3100/3150/3200/3250

3500/3550

PROFESSIONAL SUREILLANCE KITS

PART NUMBER	DESCRIPTION
V1-11552	3 Wire Kit, black

COMMERCIAL SURVEILLANCE KITS

PART NUMBER	DESCRIPTION
E1-1W2MR131	OTTO LOC 1 Wire Kit with in-line PTT and Mic (requires earpiece), black
E1-EA2MR131	1 Wire Earphone Kit with in-line PTT and Mic, with quick disconnect acoustic tube

COMMERCIAL SPEAKER MICROPHONES

PART NUMBER	DESCRIPTION
E2-RE2MR5111	Revo NC1 Noise Canceling with coiled cord, 3.5mm earphone jack

SEPURA

Connector Radio Models

STP8000 / STP9000 / STP9100 / STP9200 / SC2020 / SC2024

ST ASSEMBLED

CONNECTOR

PROFESSIONAL SURVEILLANCE KITS

PART NUMBER	DESCRIPTION
V1-10974	2 Wire Kit, heavy duty cable, black
V1-11546	3 Wire Kit, black

PROFESSIONAL SPEAKER MICROPHONES

PART NUMBER	DESCRIPTION
V2-R2ST5212	Revo NC2™ Noise Canceling with coiled cord, 3.5mm earphone jack, emergency button
V2-10373	Evolution with coiled cord, volume control, 3.5mm earphone jack, emergency button

PROFESSIONAL HEADSETS

PART NUMBER	DESCRIPTION
V4-HS2ST1	H3 with SureFire™ filters, lightweight, dual speaker, behind-the-head with standard PTT

